

SAY BYE TO MYCOTOXINS

Mycotoxins are toxic secondary metabolites produced by several fungi, particularly by many species of Aspergillus, Fusarium, Penicillium, Claviceps, and Alternaria. It has been estimated that at least 300 of these fungal metabolites are potentially toxic to animals and humans

Mycotoxins are produced by fungi during growth, handling and storage of agricultural commodities. Their global occurrence is considered to be a major risk factor. Worldwide, approximately 25% of crops are affected by mycotoxins

Addition of **QUADRABIND** has a very promising derivatized mycotoxin binding to animal feed, and provides versatile tools in preventing mycotoxicosis.


Mycotoxin

Aflatoxin Ochratoxin T2 toxin Zearalenone Fumonisins


Effect

Hepatotoxic Nephrotoxic Neurotoxic Tearatogenic Neurotoxic










Clinoptilolite lattice and channel-ways



- Binds toxins, effectively adsorb and remove toxin from the body.
- The synergistic effect of Essential oil and organic acids perfectly complement the mode of action of Mycotoxin binder.
- Lipotropic agent protects the liver against the damage caused by mycotoxins as it is the most affected organ.
- Helps in maintaining normal gut health.
- Improves the activity of Immune cells.
- Better Carcass Yield.

DOSAGE

I Kg/ton of feed

PACK

25 Kg Bag







